Appendix C: Species to benefit from restoration treatments

The following table is based upon Tennessee Wildlife Resources Agency's State Wildlife Action Plan database and shows the species that are likely to occur in Paint Creek, based upon review from members of the committee and Forest Service staff. They are listed by preference for habitats to be treated. Note that the priority scores (H8_Spp_RLPO) for each species are based upon habitat preference as well as rarity of that species.

| BpS | | | | | | | | | | | |
|----------|-------------------------|-----------|----------------------|-------------------------|--------|-----------|-----------|-----------|----------------------------------|----------|-------------|
| | L6_Habitat_08 | Taxa_Grp | Sci_Name | Com_Name | G_Rank | S_Rank_tn | F_Status | TN_Status | LTO_Desc | H_Pref | H8_Spp_RLPO |
| | Southern and | | | | | | | | | | |
| | Central | | | | | | | | | | |
| Cove | Appalachian | | Plethodon | l | | | | | | | |
| Forest | Cove Forest | Amphibian | yonahlossee | Yonahlossee Salamander | G4 | S2 | | | Likely to Occur | Suitable | 8.40 |
| | Southern and | | | | | | | | | | |
| C | Central | | | | | | | | Libel de Occur Not | | |
| Cove | Appalachian Cove Forest | Bird | Assisitor strictus | Chara shipped House | CE | COD CAN | No Ctatus | D | Likely to Occur; Not Recorded | Cuitable | 2.06 |
| Forest | Southern and | ыги | Accipiter striatus | Sharp-shinned Hawk | G5 | S3B, S4N | No Status | ט | Recorded | Suitable | 3.06 |
| | Central | | | | | | | | | | |
| Cove | Appalachian | | Caprimulgus | | | | | | | | |
| Forest | Cove Forest | Bird | carolinensis | Chuck-will's-widow | G5 | S3S4 | | | Likely to Occur | Suitable | 2.88 |
| TOTEST | Southern and | Diru | Carolinerisis | Chack-will 3-widow | 0.5 | 3334 | | | Likely to occur | Juitable | 2.00 |
| | Central | | | | | | | | | | |
| Cove | Appalachian | | | | | | | | | | |
| Forest | Cove Forest | Bird | Corvus corax | Common Raven | G5 | S2 | | Т | Certain to Occur | Suitable | 11.25 |
| | Southern and | | | | | | | | | | |
| | Central | | | | | | | | | | |
| Cove | Appalachian | | Dendroica | Black-throated Blue | | | | | Likely to Occur; Not | | |
| Forest | Cove Forest | Bird | caerulescens | Warbler | G5 | S4 | | | Recorded | Suitable | 1.53 |
| | Southern and | | | | | | | | | | |
| | Central | | | | | | | | | | |
| Cove | Appalachian | | | | | | | | | | |
| Forest | Cove Forest | Bird | Dendroica dominica | Yellow-throated Warbler | G5 | S4 | | | Certain to Occur | Suitable | 2.55 |
| | Southern and | | | | | | | | | | |
| | Central | | | | | | | | | | |
| Cove | Appalachian | | | Black-throated Green | | | | | | | |
| Forest | Cove Forest | Bird | Dendroica virens | Warbler | G5 | S5 | | | Certain to Occur | Suitable | 1.65 |
| | Southern and | | | | | | | | | | |
| C | Central | | | | | | | | | | |
| Cove | Appalachian Cove Forest | Bird | Empidanov minimus | Loost Chroatcher | G5 | S3 | | | Likely to Occur | Suitable | 2.60 |
| Forest | Southern and | ыги | Empidonax minimus | Least Flycatcher | G5 | 33 | | | Likely to Occur | Suitable | 3.60 |
| | Central | | | | | | | | | | |
| Cove | Appalachian | | | | | | | | | | |
| Forest | Cove Forest | Bird | Empidonax virescens | Acadian Flycatcher | G5 | S5 | | | Certain to Occur | Suitable | 1.65 |
| 101030 | Southern and | Dira | Emplaoriax virescens | / todalari i iyodiciici | - 55 | - 55 | | | Certain to Occur | Juliubic | 1.03 |
| | Central | | | | | | | | | | |
| Cove | Appalachian | | | | | | | | | | |
| Forest | Cove Forest | Bird | Falco peregrinus | Peregrine Falcon | G4 | S1B | No Status | E | Certain to Occur | Marginal | 9.20 |
| Cove | Southern and | Bird | Helmitheros | Worm-eating Warbler | G5 | S4 | | | Likely to Occur; Not | Suitable | 1.53 |

| Forest | Central Appalachian | | vermivorus | | | | | Recorded | | |
|----------------|--|------------|----------------------------|--------------------------|------|------------|---|----------------------|-----------|-------|
| | Cove Forest Southern and Central | | | | | | | | | |
| Cove Forest | Appalachian Cove Forest | Bird | Hylocichla mustelina | Wood Thrush | G5 | S4 | | Certain to Occur | Preferred | 5.10 |
| Cove | Southern and Central Appalachian | | Limnothlypis | | | | | | | |
| Forest | Cove Forest | Bird | swainsonii | Swainson's Warbler | G4 | S 3 | D | Certain to Occur | Suitable | 8.25 |
| Cove | Southern and Central Appalachian | D:l | | Karta da Wadda | 65 | 64 | | | C table | 204 |
| Forest | Cove Forest Southern and Central | Bird | Oporornis formosus | Kentucky Warbler | G5 | S4 | | Likely to Occur | Suitable | 2.04 |
| Cove | Appalachian | p:l | Contraction | A section a Wander of | 65 | 648 | | Likely to Occur; Not | Calledale | 4.52 |
| Forest | Cove Forest Southern and Central | Bird | Scolopax minor | American Woodcock | G5 | S4B | | Recorded | Suitable | 1.53 |
| Cove Forest | Appalachian Cove Forest | Bird | Troglodytes troglodytes | Winter Wren | G5 | S3B, S4N | | Likely to Occur | Suitable | 2.88 |
| Cove | Southern and Central Appalachian | | | | | | | | | |
| Forest | Cove Forest | Bird | Wilsonia citrina | Hooded Warbler | G5 | S4 | | Certain to Occur | Suitable | 2.55 |
| Cove | Southern and Central Appalachian | | | | | | | | | |
| Forest | Cove Forest Southern and | Gastropod | Fumonelix wheatleyi | Cinnamon Covert | G4 | S3 | | Certain to Occur | Suitable | 6.75 |
| Cove | Central Appalachian Cove Forest | Castronad | Daravitraa lamallidana | Lamallata Cunarcail | G2 | S2 | | Costoin to Occur | Suitable | 20.00 |
| Forest | Southern and Central | Gastropod | Paravitrea lamellidens | Lamellate Supercoil | G2 | 52 | | Certain to Occur | Suitable | 20.00 |
| Cove Forest | Appalachian Cove Forest | Gastropod | Stenotrema altispira | Highland Slitmouth | G3 | S2? | | Certain to Occur | Suitable | 11.95 |
| Cove | Southern and Central Appalachian | | | | | | | | | |
| Forest | Cove Forest | Insect | Speyeria diana | Diana Fritillary | G3G4 | S 3 | | Certain to Occur | Suitable | 8.50 |
| Cove | Southern and Central Appalachian | | | | | | | | | |
| Forest | Cove Forest Southern and | Mammal | Myotis leibii | Eastern Small-footed Bat | G3 | S2S3 | D | Certain to Occur | Suitable | 13.45 |
| Cove Forest | Central Appalachian Cove Forest | Mammal | Ochrotomys nuttalli | Golden Mouse | G5 | SU | | Likely to Occur | Suitable | 0.96 |
| Cove | Southern and Central | IVIGITIIII | Odinotomys nuttam | | | | | Linery to occur | Juituble | 0.50 |
| Forest | Appalachian | Mammal | Sorex fumeus | Smoky Shrew | G5 | S4 | D | Certain to Occur | Suitable | 4.05 |

| | Cove Forest | | | | | | | | | |
|---------------------|---|--------|---------------------------------------|-------------------------------|------|-------|------|----------------------------------|-------------|-------|
| _ | Southern and Central | | | | | | | | | |
| Cove Forest | Appalachian Cove Forest | Plant | Adlumia fungosa | Climbing Fumitory | G4 | S2 | Т | Certain to Occur | Suitable | 13.50 |
| Cove | Southern and Central Appalachian | | | | | | | | | |
| Forest | Cove Forest | Plant | Allium tricoccum | Ramps | G5 | S1S2 | S-CE | Certain to Occur | Suitable | 13.50 |
| | Southern and Central | | | | | | | | | |
| Cove Forest | Appalachian Cove Forest | Plant | Carex ruthii | Ruth's Sedge | G3 | S2 | Т | Likely to Occur | Suitable | 13.40 |
| | Southern and Central | Tiant | | Nutil's Seage | 03 | 32 | | Likely to occur | Juitable | 13.40 |
| Cove | Appalachian | DI | Chrysogonum | Construction | 65 | 63 | _ | C | Des formers | 22.50 |
| Forest | Cove Forest | Plant | virginianum | Green-and-gold | G5 | S2 | Т | Certain to Occur | Preferred | 22.50 |
| Cove Forest | Southern and Central Appalachian Cove Forest | Plant | Coreopsis latifolia | Broad-leaved Tickseed | G3 | S1S2 | E | Likely to Occur | Suitable | 18.00 |
| Cove | Southern and Central Appalachian | | Gentiana | | | | _ | | | |
| Forest | Cove Forest | Plant | austromontana | Appalachian Gentian | G3 | S3 | S | Likely to Occur | Suitable | 9.20 |
| Cove Forest | Southern and Central Appalachian Cove Forest | Plant | Goodyera repens | Dwarf Rattlesnake Plantain | G5 | S1 | S | Certain to Occur | Preferred | 34.50 |
| Cove | Southern and Central Appalachian | Tidite | Goodycra repens | Trantam | 03 | 31 | 3 | certain to occur | Treferred | 34.30 |
| Forest | Cove Forest | Plant | Heracleum maximum | Cow-parsnip | G5 | S2 | S | Certain to Occur | Suitable | 9.75 |
| Cove | Southern and Central Appalachian | Tidite | Hydrophyllum | cow parsing | 03 | 32 | 3 | Certain to Occur | Saltable | 3.73 |
| Forest | Cove Forest | Plant | virginianum | Appalachian Waterleaf | G5 | S3 | т | Certain to Occur | Suitable | 7.50 |
| | Southern and Central | - ranc | · · · · · · · · · · · · · · · · · · · | 7.ppulasinan Waterlean | | | | | Gartagre | 7.50 |
| Cove Forest | Appalachian Cove Forest | Plant | Juglans cinerea | Butternut | G4 | S3 | Т | Likely to Occur; Not Recorded | Preferred | 11.70 |
| Cove | Southern and Central Appalachian | | | | | | | | | |
| Forest | Cove Forest | Plant | Melanthium latifolium | Broadleaf Bunchflower | G5 | S1S2 | E | Likely to Occur | Suitable | 13.60 |
| Cove | Southern and Central Appalachian | | | - Jacks Ballomorel | | 0.000 | _ | Zinci, to occur | 34.64.6 | 13.00 |
| COVE | Cove Forest | Plant | Panax quinquefolius | American Ginseng | G3G4 | S3S4 | S-CE | Certain to Occur | Preferred | 18.20 |
| Forest | | | | | | | | | | |
| | Southern and Central | | | | | | | | | |
| Forest Cove Forest | | Plant | Scutellaria saxatilis | Rock Skullcap | G3 | S3 | Т | Likely to Occur | Preferred | 20.80 |

| Forest | Central Appalachian | | | | | | | | | | |
|--------------|------------------------|-----------|-------------------------|-------------------------|------|----------|-----------|---|----------------------|-------------|-------|
| | Cove Forest | | | | | | | | | | |
| | Southern and | | | | | | | | | | |
| | Central | | | | | | | | | | |
| Cove | Appalachian | | | | | | | | | | |
| Forest | Cove Forest | Plant | Thermopsis fraxinifolia | Ash-leaved Bush-pea | G3? | S3 | | Т | Certain to Occur | Suitable | 11.50 |
| | Southern and | | | | | | | | | | |
| | Central | | | | | | | | | | |
| Cove | Appalachian | | | | | | | | | | |
| Forest | Cove Forest | Reptile | Crotalus horridus | Timber Rattlesnake | G4 | S4 | | | Certain to Occur | Suitable | 4.80 |
| | Southern and | | | | | | | | | | |
| | Central | | | | | | | | | | |
| Cove | Appalachian | | | | | | | | | | |
| Forest | Cove Forest | Reptile | Heterodon platirhinos | Eastern Hognosed Snake | G5 | S4 | | | Likely to Occur | Suitable | 2.04 |
| Dry | Southern | | | | | | | | | | |
| Mesic | Appalachian | | Plethodon | | | | | | | | |
| Oak | Oak Forest | Amphibian | yonahlossee | Yonahlossee Salamander | G4 | S2 | | | Likely to Occur | Marginal | 3.36 |
| Dry | Southern | | | | | | | | | | |
| Mesic | Appalachian | | | | | | | _ | Likely to Occur; Not | | |
| Oak | Oak Forest | Bird | Accipiter striatus | Sharp-shinned Hawk | G5 | S3B, S4N | No Status | D | Recorded | Suitable | 3.06 |
| Dry | Southern | | Constant | | | | | | | | |
| Mesic | Appalachian | Diad | Caprimulgus | Charle will a widow | 65 | 6364 | | | Libebote Occord | Cuitable | 2.00 |
| Oak | Oak Forest | Bird | carolinensis | Chuck-will's-widow | G5 | S3S4 | | | Likely to Occur | Suitable | 2.88 |
| Dry | Southern | | | | | | | | | | |
| Mesic Oak | Appalachian Oak Forest | Bird | Corvus corax | Common Raven | G5 | S2 | | Т | Certain to Occur | Suitable | 11.25 |
| Dry | Southern | ыш | Corvus corax | Common Raven | U3 | 32 | | 1 | Certain to Occur | Suitable | 11.25 |
| Mesic | Appalachian | | Dendroica | Black-throated Blue | | | | | Likely to Occur; Not | | |
| Oak | Oak Forest | Bird | caerulescens | Warbler | G5 | S4 | | | Recorded | Suitable | 1.53 |
| Dry | Southern | Bird | cacrarescens | VVUIDICI | - 03 | 31 | | | necoraea | Suitable | 1.55 |
| Mesic | Appalachian | | | | | | | | | | |
| Oak | Oak Forest | Bird | Dendroica dominica | Yellow-throated Warbler | G5 | S4 | | | Certain to Occur | Suitable | 2.55 |
| Dry | Southern | | | | | | | | | | |
| Mesic | Appalachian | | | Black-throated Green | | | | | | | |
| Oak | Oak Forest | Bird | Dendroica virens | Warbler | G5 | S5 | | | Certain to Occur | Suitable | 1.65 |
| Dry | Southern | | | | | | | | | | |
| Mesic | Appalachian | | | | | | | | | | |
| Oak | Oak Forest | Bird | Empidonax minimus | Least Flycatcher | G5 | S3 | | | Likely to Occur | Suitable | 3.60 |
| Dry | Southern | | | | | | | | | | |
| Mesic | Appalachian | | | | | | | | | | |
| Oak | Oak Forest | Bird | Empidonax virescens | Acadian Flycatcher | G5 | S5 | | | Certain to Occur | Marginal | 0.66 |
| Dry | Southern | | | | | | | | | | |
| Mesic | Appalachian | | | | | | | | | | |
| Oak | Oak Forest | Bird | Falco peregrinus | Peregrine Falcon | G4 | S1B | No Status | E | Certain to Occur | Marginal | 9.20 |
| Dry | Southern | | | | | | | | | | |
| Mesic | Appalachian | | Helmitheros | | | | | | Likely to Occur; Not | | |
| Oak | Oak Forest | Bird | vermivorus | Worm-eating Warbler | G5 | S4 | | | Recorded | Suitable | 1.53 |
| Dry | Southern | | | | | | | | | | |
| Mesic | Appalachian | Direct | Understable accordance | Man d Therest | CF | 64 | | | Contain to Contain | NA-unit - I | 4.03 |
| Oak | Oak Forest | Bird | Hylocichla mustelina | Wood Thrush | G5 | S4 | | | Certain to Occur | Marginal | 1.02 |
| Dry | Southern | | Limnothlypis | | | | | | | | |
| Mesic | Appalachian | Rind | swainsonii | Swaincon's Warhlar | G4 | C2 | | D | Cortain to Occur | Marginal | 2 20 |
| Oak | Oak Forest | Bird | swainsonii | Swainson's Warbler | G4 | S3 | | D | Certain to Occur | Marginal | 3.30 |

| Dry | Southern | | | | | | | | | |
|-------|-------------|-----------|------------------------|--------------------------|------|----------|---|----------------------|-----------|-------|
| Mesic | Appalachian | | | | | | | | | |
| Oak | Oak Forest | Bird | Oporornis formosus | Kentucky Warbler | G5 | S4 | | Likely to Occur | Suitable | 2.04 |
| Dry | Southern | | | | | | | | | |
| Mesic | Appalachian | | | | | | | Likely to Occur; Not | | |
| Oak | Oak Forest | Bird | Scolopax minor | American Woodcock | G5 | S4B | | Recorded | Suitable | 1.53 |
| Dry | Southern | | | | | | | | | |
| Mesic | Appalachian | | Troglodytes | | | | | | | |
| Oak | Oak Forest | Bird | troglodytes | Winter Wren | G5 | S3B, S4N | | Likely to Occur | Marginal | 1.15 |
| Dry | Southern | | | | | | | | | |
| Mesic | Appalachian | | | | | | | | | |
| Oak | Oak Forest | Bird | Wilsonia citrina | Hooded Warbler | G5 | S4 | | Certain to Occur | Suitable | 2.55 |
| Dry | Southern | | | | | | | | | |
| Mesic | Appalachian | | | | | | | | | |
| Oak | Oak Forest | Gastropod | Fumonelix wheatleyi | Cinnamon Covert | G4 | S3 | | Certain to Occur | Suitable | 6.75 |
| Dry | Southern | | | | | | | | | |
| Mesic | Appalachian | | | | | | | | | |
| Oak | Oak Forest | Gastropod | Paravitrea lamellidens | Lamellate Supercoil | G2 | S2 | | Certain to Occur | Suitable | 20.00 |
| Dry | Southern | | | | | | | | | |
| Mesic | Appalachian | | | | | | | | | |
| Oak | Oak Forest | Gastropod | Stenotrema altispira | Highland Slitmouth | G3 | S2? | | Certain to Occur | Suitable | 11.95 |
| Dry | Southern | | | | | | | | | |
| Mesic | Appalachian | | | | | | | | | |
| Oak | Oak Forest | Insect | Speyeria diana | Diana Fritillary | G3G4 | S3 | | Certain to Occur | Marginal | 3.40 |
| Dry | Southern | | | | | | | | | |
| Mesic | Appalachian | | | | | | | | | |
| Oak | Oak Forest | Mammal | Myotis leibii | Eastern Small-footed Bat | G3 | S2S3 | D | Certain to Occur | Suitable | 13.45 |
| Dry | Southern | | | | | | | | | |
| Mesic | Appalachian | | | | | | | | | |
| Oak | Oak Forest | Mammal | Ochrotomys nuttalli | Golden Mouse | G5 | SU | | Likely to Occur | Suitable | 0.96 |
| Dry | Southern | | | | | | | | | |
| Mesic | Appalachian | | | | | | | | | |
| Oak | Oak Forest | Mammal | Sorex fumeus | Smoky Shrew | G5 | S4 | D | Certain to Occur | Suitable | 4.05 |
| Dry | Southern | | | | | | | | | |
| Mesic | Appalachian | | Amelanchier | | | | | Likely to Occur; Not | | |
| Oak | Oak Forest | Plant | sanguinea | Roundleaf Shadbush | G5 | S2 | Т | Recorded | Marginal | 2.70 |
| Dry | Southern | | | | | | | | | |
| Mesic | Appalachian | | Buckleya | | | | | | | |
| Oak | Oak Forest | Plant | distichophylla | Piratebush | G2 | S2 | Т | Certain to Occur | Preferred | 46.00 |
| Dry | Southern | | | | | | | | | |
| Mesic | Appalachian | | | | | | | Likely to Occur; Not | | |
| Oak | Oak Forest | Plant | Calamagrostis porteri | Porter's Reedgrass | G4 | S1 | E | Recorded | Suitable | 13.80 |
| Dry | Southern | | | | | | | | | |
| Mesic | Appalachian | | | | | | | | | |
| Oak | Oak Forest | Plant | Carex ruthii | Ruth's Sedge | G3 | S2 | Т | Likely to Occur | Suitable | 13.40 |
| Dry | Southern | | | | | | | | | |
| Mesic | Appalachian | | | | | | | | | |
| Oak | Oak Forest | Plant | Castanea dentata | American Chestnut | G4 | S2S3 | S | Certain to Occur | Preferred | 20.40 |
| Dry | Southern | | | | | | | | | |
| Mesic | Appalachian | | | | | | | | | |
| Oak | Oak Forest | Plant | Coreopsis latifolia | Broad-leaved Tickseed | G3 | S1S2 | E | Likely to Occur | Marginal | 7.20 |
| Dry | Southern | | | | | | | | | |
| Mesic | Appalachian | | Gentiana | | | | | | | |
| Oak | Oak Forest | Plant | austromontana | Appalachian Gentian | G3 | S3 | S | Likely to Occur | Suitable | 9.20 |

| Dry | Southern | | | | | | | | | | |
|--------------|------------------------|-----------|-------------------------|---|---------------|----------|-----------|----------|----------------------|-----------|-------|
| Mesic | Appalachian | | Helianthus | | | | | | Likely to Occur; Not | | |
| Oak | Oak Forest | Plant | glaucophyllus | White-leaved Sunflower | G3 | S1 | | Т | Recorded | Suitable | 14.55 |
| Dry | Southern | | | | | | | | | | |
| Mesic | Appalachian | | | | | | | | | | |
| Oak | Oak Forest | Plant | Heracleum maximum | Cow-parsnip | G5 | S2 | | S | Certain to Occur | Suitable | 9.75 |
| Dry | Southern | | | | | | | | | | |
| Mesic | Appalachian | | | | | | | | | | |
| Oak | Oak Forest | Plant | Hieracium scabrum | Rough Hawkweed | G5 | S2 | | Т | Likely to Occur | Suitable | 9.00 |
| Dry | Southern | | | | | | | | | | |
| Mesic | Appalachian | | Hydrophyllum | | | | | | | | |
| Oak | Oak Forest | Plant | virginianum | Appalachian Waterleaf | G5 | S3 | | Т | Certain to Occur | Marginal | 3.00 |
| Dry | Southern | | | | | | | | | | |
| Mesic | Appalachian | | | _ " - " - " - " - " - " - " - " - " - " | | | | _ | | | |
| Oak | Oak Forest | Plant | Melanthium latifolium | Broadleaf Bunchflower | G5 | S1S2 | | E | Likely to Occur | Suitable | 13.60 |
| Dry | Southern | | | | | | | | | | |
| Mesic | Appalachian | DI | D | A Cinner | 6364 | 6264 | | 6.65 | Contain to Consu | | 2.64 |
| Oak | Oak Forest | Plant | Panax quinquefolius | American Ginseng | G3G4 | S3S4 | | S-CE | Certain to Occur | Marginal | 3.64 |
| Dry | Southern | | | | | | | | | | |
| Mesic | Appalachian | Dlant | Daluganum silinada | Fringed Black Bindured | C.E. | C1C2 | | Т | Certain to Occur | Suitable | 15.00 |
| Oak | Oak Forest | Plant | Polygonum cilinode | Fringed Black Bindweed | G5 | S1S2 | | I | Certain to Occur | Suitable | 15.00 |
| Dry | Southern | | | | | | | | | | |
| Mesic Oak | Appalachian Oak Forest | Plant | Pyrola americana | American Wintergroon | G5 | S2 | | E | Likely to Occur | Preferred | 21.20 |
| | Southern | Pidiit | Pyroia americana | American Wintergreen | U3 | 32 | | <u> </u> | Likely to Occui | Preferreu | 21.20 |
| Dry Mesic | Appalachian | | | | | | | | | | |
| Oak | Oak Forest | Plant | Silene ovata | Ovate Catchfly | G3 | S2 | | E | Likely to Occur | Suitable | 15.00 |
| Dry | Southern | Tidiic | Silette Ovata | Ovate Catchiny | 0.5 | JZ | | <u> </u> | Likely to Occur | Juitable | 15.00 |
| Mesic | Appalachian | | | | | | | | | | |
| Oak | Oak Forest | Plant | Thermopsis fraxinifolia | Ash-leaved Bush-pea | G3? | S3 | | Т | Certain to Occur | Suitable | 11.50 |
| Dry | Southern | Tranc | тистиоры пахингона | 71511 Teaved Bush ped | - G 5. | 33 | | | Certain to Occur | Juituble | 11.50 |
| Mesic | Appalachian | | Xerophyllum | | | | | | | | |
| Oak | Oak Forest | Plant | asphodeloides | Eastern Turkeybeard | G4 | S3 | | Т | Certain to Occur | Suitable | 9.75 |
| Dry | Southern | | | | - | | | | | | |
| Mesic | Appalachian | | | | | | | | | | |
| Oak | Oak Forest | Reptile | Crotalus horridus | Timber Rattlesnake | G4 | S4 | | | Certain to Occur | Preferred | 9.60 |
| Dry | Southern | · | | | | | | | | | |
| Mesic | Appalachian | | | | | | | | | | |
| Oak | Oak Forest | Reptile | Heterodon platirhinos | Eastern Hognosed Snake | G5 | S4 | | | Likely to Occur | Suitable | 2.04 |
| | Southern | | | | | | | | | | |
| | Appalachian | | Plethodon | | | | | | | | |
| Dry Oak | Oak Forest | Amphibian | yonahlossee | Yonahlossee Salamander | G4 | S2 | | | Likely to Occur | Marginal | 3.36 |
| | Southern | | | | | | | | | | |
| | Appalachian | | | | | | | | Likely to Occur; Not | | |
| Dry Oak | Oak Forest | Bird | Accipiter striatus | Sharp-shinned Hawk | G5 | S3B, S4N | No Status | D | Recorded | Suitable | 3.06 |
| | Southern | | | | | | | | | | |
| | Appalachian | | Caprimulgus | | | | | | | | |
| Dry Oak | Oak Forest | Bird | carolinensis | Chuck-will's-widow | G5 | S3S4 | | | Likely to Occur | Suitable | 2.88 |
| | Southern | | | | | | | | | | |
| | Appalachian | | | | | | | | | | |
| Dry Oak | Oak Forest | Bird | Corvus corax | Common Raven | G5 | S2 | | Т | Certain to Occur | Suitable | 11.25 |
| | Southern | | | | | | | | | | |
| | Appalachian | | Dendroica | Black-throated Blue | | | | | Likely to Occur; Not | | |
| Dry Oak | Oak Forest | Bird | caerulescens | Warbler | G5 | S4 | | | Recorded | Suitable | 1.53 |

| | Southern Appalachian | | | | | | | | | | |
|----------|---------------------------------------|-----------|--|--------------------------|------|----------|-----------|---|----------------------------------|-----------|-------|
| Dry Oak | Oak Forest | Bird | Dendroica dominica | Yellow-throated Warbler | G5 | S4 | | | Certain to Occur | Suitable | 2.55 |
| | Southern Appalachian | | | Black-throated Green | | | | | | | |
| Dry Oak | Oak Forest | Bird | Dendroica virens | Warbler | G5 | S5 | | | Certain to Occur | Suitable | 1.65 |
| Dry Oak | Southern Appalachian Oak Forest | Bird | Empidonax minimus | Least Flycatcher | G5 | S3 | | | Likely to Occur | Suitable | 3.60 |
| | Southern Appalachian | | | | | | | | | | |
| Dry Oak | Oak Forest | Bird | Empidonax virescens | Acadian Flycatcher | G5 | S5 | | | Certain to Occur | Marginal | 0.66 |
| Dry Oak | Southern Appalachian Oak Forest | Bird | Falco peregrinus | Peregrine Falcon | G4 | S1B | No Status | E | Certain to Occur | Marginal | 9.20 |
| | Southern | | The second secon | | | | | _ | | | |
| Dry Oak | Appalachian Oak Forest | Bird | Helmitheros vermivorus | Worm-eating Warbler | G5 | S4 | | | Likely to Occur; Not Recorded | Suitable | 1.53 |
| Dry Oak | Southern Appalachian Oak Forest | Bird | Hylosichla mustolina | Wood Thrush | G5 | S4 | | | Cortain to Occur | Marginal | 1.02 |
| Dry Oak | Southern | ыш | Hylocichla mustelina | WOOU TIII USII | U3 | 34 | | | Certain to Occur | Marginal | 1.02 |
| Dry Oak | Appalachian Oak Forest | Bird | Limnothlypis swainsonii | Swainson's Warbler | G4 | S3 | | D | Certain to Occur | Marginal | 3.30 |
| | Southern Appalachian | | | | | | | | | | |
| Dry Oak | Oak Forest | Bird | Oporornis formosus | Kentucky Warbler | G5 | S4 | | | Likely to Occur | Suitable | 2.04 |
| Dry Oak | Southern Appalachian Oak Forest | Bird | Scolopax minor | American Woodcock | G5 | S4B | | | Likely to Occur; Not Recorded | Suitable | 1.53 |
| , | Southern | | | | | | | | | | |
| Dry Oak | Appalachian Oak Forest | Bird | Troglodytes troglodytes | Winter Wren | G5 | S3B, S4N | | | Likely to Occur | Marginal | 1.15 |
| | Southern Appalachian | | | | | | | | | | |
| Dry Oak | Oak Forest | Bird | Wilsonia citrina | Hooded Warbler | G5 | S4 | | | Certain to Occur | Suitable | 2.55 |
| <u>.</u> | Southern Appalachian | | | | | | | | | | |
| Dry Oak | Oak Forest | Gastropod | Fumonelix wheatleyi | Cinnamon Covert | G4 | S3 | | | Certain to Occur | Suitable | 6.75 |
| Dry Oak | Southern Appalachian Oak Forest | Gastropod | Paravitrea lamellidens | Lamellate Supercoil | G2 | S2 | | | Certain to Occur | Suitable | 20.00 |
| Dry Oak | Southern Appalachian | Gastropou | Paravitiea iailielliuelis | Lamenate Supercon | G2 | 32 | | | Certain to Occur | Suitable | 20.00 |
| Dry Oak | Oak Forest | Gastropod | Stenotrema altispira | Highland Slitmouth | G3 | S2? | | | Certain to Occur | Suitable | 11.95 |
| , | Southern Appalachian | | | | | | | | | | |
| Dry Oak | Oak Forest | Insect | Speyeria diana | Diana Fritillary | G3G4 | S3 | | | Certain to Occur | Marginal | 3.40 |
| Dw. Cali | Southern Appalachian | Manageral | Mustic laib:: | Fostory Small footed Day | 63 | caca | | | Contain to Contain | Cuital-l- | 42.45 |
| Dry Oak | Oak Forest Southern Appalachian | Mammal | Myotis leibii | Eastern Small-footed Bat | G3 | S2S3 | | D | Certain to Occur | Suitable | 13.45 |
| Dry Oak | Oak Forest | Mammal | Ochrotomys nuttalli | Golden Mouse | G5 | SU | | | Likely to Occur | Suitable | 0.96 |

| | Southern Appalachian | | | | | | | | | |
|---------|---------------------------------------|--------|-----------------------------|------------------------|------|------|------|----------------------------------|-----------|-------|
| Dry Oak | Oak Forest Southern | Mammal | Sorex fumeus | Smoky Shrew | G5 | S4 | D | Certain to Occur | Suitable | 4.05 |
| Dry Oak | Appalachian Oak Forest | Plant | Amelanchier sanguinea | Roundleaf Shadbush | G5 | S2 | Т | Likely to Occur; Not Recorded | Marginal | 2.70 |
| Dry Oak | Southern Appalachian Oak Forest | Plant | Buckleya distichophylla | Piratebush | G2 | S2 | Т | Certain to Occur | Preferred | 46.00 |
| | Southern Appalachian | | | | | | | Likely to Occur; Not | | |
| Dry Oak | Oak Forest Southern Appalachian | Plant | Calamagrostis porteri | Porter's Reedgrass | G4 | S1 | E | Recorded | Suitable | 13.80 |
| Dry Oak | Oak Forest Southern | Plant | Carex ruthii | Ruth's Sedge | G3 | S2 | Т | Likely to Occur | Suitable | 13.40 |
| Dry Oak | Appalachian Oak Forest | Plant | Castanea dentata | American Chestnut | G4 | S2S3 | S | Certain to Occur | Preferred | 20.40 |
| Dry Oak | Southern Appalachian Oak Forest | Plant | Coreopsis latifolia | Broad-leaved Tickseed | G3 | S1S2 | E | Likely to Occur | Marginal | 7.20 |
| Dry Oak | Southern Appalachian Oak Forest | Plant | Gentiana austromontana | Appalachian Gentian | G3 | S3 | S | Likely to Occur | Suitable | 9.20 |
| Dry Oak | Southern Appalachian Oak Forest | Plant | Helianthus glaucophyllus | White-leaved Sunflower | G3 | S1 | Т | Likely to Occur; Not | Suitable | 14.55 |
| | Southern Appalachian | | | | | | | | | |
| Dry Oak | Oak Forest Southern Appalachian | Plant | Heracleum maximum | Cow-parsnip | G5 | S2 | S | Certain to Occur | Suitable | 9.75 |
| Dry Oak | Oak Forest Southern | Plant | Hieracium scabrum | Rough Hawkweed | G5 | S2 | Т | Likely to Occur | Suitable | 9.00 |
| Dry Oak | Appalachian Oak Forest | Plant | Hydrophyllum virginianum | Appalachian Waterleaf | G5 | S3 | Т | Certain to Occur | Marginal | 3.00 |
| Dry Oak | Southern Appalachian Oak Forest | Plant | Melanthium latifolium | Broadleaf Bunchflower | G5 | S1S2 | E | Likely to Occur | Suitable | 13.60 |
| | Southern Appalachian | | | | | | | | | |
| Dry Oak | Oak Forest Southern Appalachian | Plant | Panax quinquefolius | American Ginseng | G3G4 | S3S4 | S-CE | Certain to Occur | Marginal | 3.64 |
| Dry Oak | Oak Forest Southern | Plant | Polygonum cilinode | Fringed Black Bindweed | G5 | S1S2 | Т | Certain to Occur | Suitable | 15.00 |
| Dry Oak | Appalachian Oak Forest | Plant | Pyrola americana | American Wintergreen | G5 | S2 | E | Likely to Occur | Preferred | 21.20 |
| Dry Oak | Southern Appalachian Oak Forest | Plant | Silene ovata | Ovate Catchfly | G3 | S2 | E | Likely to Occur | Suitable | 15.00 |
| | Southern Appalachian | | | | | | | | | 11.50 |
| Dry Oak | Oak Forest | Plant | Thermopsis fraxinifolia | Ash-leaved Bush-pea | G3? | S3 | Т | Certain to Occur | Suitable | |

| | Southern Appalachian | | Xerophyllum | | | | | | | | |
|------------------------------------|---------------------------------------|-----------|---------------------------|---------------------------------|----|------------|-----------|---|----------------------------------|-----------|-------|
| Dry Oak | Oak Forest | Plant | asphodeloides | Eastern Turkeybeard | G4 | S3 | | Т | Certain to Occur | Suitable | 9.75 |
| • | Southern Appalachian | | | | | | | | | | |
| Dry Oak | Oak Forest | Reptile | Crotalus horridus | Timber Rattlesnake | G4 | S4 | | | Certain to Occur | Preferred | 9.60 |
| Dry Oak | Southern Appalachian Oak Forest | Reptile | Heterodon platirhinos | Eastern Hognosed Snake | G5 | S4 | | | Likely to Occur | Suitable | 2.04 |
| Montane Red- Chestnut | Southern Appalachian | | Plethodon | | | | | | | | |
| Oak | Oak Forest | Amphibian | yonahlossee | Yonahlossee Salamander | G4 | S2 | | | Likely to Occur | Marginal | 3.36 |
| Montane Red- Chestnut Oak | Southern Appalachian Oak Forest | Bird | Accipiter striatus | Sharp-shinned Hawk | G5 | S3B, S4N | No Status | D | Likely to Occur; Not Recorded | Suitable | 3.06 |
| Montane Red- Chestnut | Southern Appalachian | | Caprimulgus | | | | | | | | |
| Oak | Oak Forest | Bird | carolinensis | Chuck-will's-widow | G5 | S3S4 | | | Likely to Occur | Suitable | 2.88 |
| Montane Red- Chestnut Oak | Southern Appalachian Oak Forest | Bird | Corvus corax | Common Raven | G5 | S2 | | Т | Certain to Occur | Suitable | 11.25 |
| Montane | Jan : Grest | | - COLTUS COLUX | - Common naven | | | | | Contain to Coour | Garcasie | 11.13 |
| Red- Chestnut Oak | Southern Appalachian Oak Forest | Bird | Dendroica caerulescens | Black-throated Blue Warbler | G5 | S4 | | | Likely to Occur; Not Recorded | Suitable | 1.53 |
| Montane Red- Chestnut | Southern Appalachian | | | | | | | | | | |
| Oak | Oak Forest | Bird | Dendroica dominica | Yellow-throated Warbler | G5 | S4 | | | Certain to Occur | Suitable | 2.55 |
| Montane Red- Chestnut Oak | Southern Appalachian Oak Forest | Bird | Dendroica virens | Black-throated Green Warbler | G5 | S 5 | | | Certain to Occur | Suitable | 1.65 |
| Montane Red- Chestnut Oak | Southern Appalachian Oak Forest | Bird | Empidonax minimus | Least Flycatcher | G5 | \$3 | | | Likely to Occur | Suitable | 3.60 |
| Montane Red- | Southern | Bird | Emplacitus minimus | Least Hyeaterici | 03 | 33 | | | Linely to occur | Suitable | 3.00 |
| Chestnut Oak | Appalachian Oak Forest | Bird | Empidonax virescens | Acadian Flycatcher | G5 | S5 | | | Certain to Occur | Marginal | 0.66 |
| Montane Red- Chestnut | Southern Appalachian | | | | | | | | | | |
| Oak | Oak Forest | Bird | Falco peregrinus | Peregrine Falcon | G4 | S1B | No Status | E | Certain to Occur | Marginal | 9.20 |
| Montane Red- Chestnut | Southern Appalachian | | Helmitheros | | | | | | Likely to Occur; Not | | |
| Oak | Oak Forest | Bird | vermivorus | Worm-eating Warbler | G5 | S4 | | | Recorded | Suitable | 1.53 |
| Montane | Southern | Bird | Hylocichla mustelina | Wood Thrush | G5 | S4 | | | Certain to Occur | Marginal | 1.02 |

| Red- | Appalachian | | | | | | | | | |
|------------------|-------------------------|-------------|----------------------------|--------------------------|------|----------|---|----------------------|-------------|-------|
| Chestnut Oak | Oak Forest | | | | | | | | | |
| Montane | | | | | | | | | | |
| Red- | Southern | | | | | | | | | |
| Chestnut Oak | Appalachian Oak Forest | Bird | Limnothlypis swainsonii | Swainson's Warbler | G4 | S3 | D | Certain to Occur | Marginal | 3.30 |
| Montane | Ouk Forest | Dira | Swamsom | Swamson's warbier | U4 | 33 | | certain to occur | IVIUIGIIIUI | 3.30 |
| Red- | Southern | | | | | | | | | |
| Chestnut | Appalachian | D'l | 0 | Mantagle Washin | 65 | 64 | | L'I al a la Casa de | C. Statella | 2.04 |
| Oak Montane | Oak Forest | Bird | Oporornis formosus | Kentucky Warbler | G5 | S4 | | Likely to Occur | Suitable | 2.04 |
| Red- | Southern | | | | | | | | | |
| Chestnut | Appalachian | | | | | | | Likely to Occur; Not | | |
| Oak | Oak Forest | Bird | Scolopax minor | American Woodcock | G5 | S4B | | Recorded | Suitable | 1.53 |
| Montane Red- | Southern | | | | | | | | | |
| Chestnut | Appalachian | | Troglodytes | | | | | | | |
| Oak | Oak Forest | Bird | troglodytes | Winter Wren | G5 | S3B, S4N | | Likely to Occur | Marginal | 1.15 |
| Montane | | | | | | | | | | |
| Red- Chestnut | Southern Appalachian | | | | | | | | | |
| Oak | Oak Forest | Bird | Wilsonia citrina | Hooded Warbler | G5 | S4 | | Certain to Occur | Suitable | 2.55 |
| Montane | | | | | | | | | | |
| Red- | Southern | | | | | | | | | |
| Chestnut Oak | Appalachian Oak Forest | Gastropod | Fumonelix wheatleyi | Cinnamon Covert | G4 | S3 | | Certain to Occur | Suitable | 6.75 |
| Montane | Ouk Forest | Gustropou | Tumonenz wheaticy | Cimanon Covert | J 4 | 33 | | certain to occur | Juitubic | 0.73 |
| Red- | Southern | | | | | | | | | |
| Chestnut | Appalachian | Control | Daniel Inne Inne III de la | Lawallata Communi | 63 | 62 | | 6. 4.4.4. 0 | C. Statella | 20.00 |
| Oak Montane | Oak Forest | Gastropod | Paravitrea lamellidens | Lamellate Supercoil | G2 | S2 | | Certain to Occur | Suitable | 20.00 |
| Red- | Southern | | | | | | | | | |
| Chestnut | Appalachian | | | | | | | | | |
| Oak | Oak Forest | Gastropod | Stenotrema altispira | Highland Slitmouth | G3 | S2? | | Certain to Occur | Suitable | 11.95 |
| Montane Red- | Southern | | | | | | | | | |
| Chestnut | Appalachian | | | | | | | | | |
| Oak | Oak Forest | Insect | Speyeria diana | Diana Fritillary | G3G4 | S3 | | Certain to Occur | Marginal | 3.40 |
| Montane | Causha | | | | | | | | | |
| Red- Chestnut | Southern Appalachian | | | | | | | | | |
| Oak | Oak Forest | Mammal | Myotis leibii | Eastern Small-footed Bat | G3 | S2S3 | D | Certain to Occur | Suitable | 13.45 |
| Montane | | | | | | | | | | |
| Red- | Southern | | | | | | | | | |
| Chestnut Oak | Appalachian Oak Forest | Mammal | Ochrotomys nuttalli | Golden Mouse | G5 | SU | | Likely to Occur | Suitable | 0.96 |
| Montane | Jakiolest | iviaiiIIIai | Comotomys nuttain | Golden Modae | 0.5 | 30 | | Likely to Occur | Juitable | 0.90 |
| Red- | Southern | | | | | | | | | |
| Chestnut | Appalachian | | | | | | | | | |
| Oak | Oak Forest Southern | Mammal | Sorex fumeus | Smoky Shrew | G5 | S4 | D | Certain to Occur | Suitable | 4.05 |
| Montane Red- | Appalachian | | Amelanchier | | | | | Likely to Occur; Not | | |
| Chestnut | Oak Forest | Plant | sanguinea | Roundleaf Shadbush | G5 | S2 | Т | Recorded | Marginal | 2.70 |

| Oak | | | | | | | | | | |
|------------------------------------|---------------------------------------|-------|-----------------------------|------------------------|------|------------|------|----------------------------------|-----------|-------|
| Montane Red- Chestnut Oak | Southern Appalachian Oak Forest | Plant | Buckleya distichophylla | Piratebush | G2 | S2 | Т | Certain to Occur | Preferred | 46.00 |
| Montane Red- Chestnut Oak | Southern Appalachian Oak Forest | Plant | Calamagrostis porteri | Porter's Reedgrass | G4 | S 1 | E | Likely to Occur; Not Recorded | Suitable | 13.80 |
| Montane Red- Chestnut Oak | Southern Appalachian Oak Forest | Plant | Carex ruthii | Ruth's Sedge | G3 | S2 | Т | Likely to Occur | Suitable | 13.40 |
| Montane Red- Chestnut Oak | Southern Appalachian Oak Forest | Plant | Castanea dentata | American Chestnut | G4 | S2S3 | S | Certain to Occur | Preferred | 20.40 |
| Montane Red- Chestnut Oak | Southern Appalachian Oak Forest | Plant | Coreopsis latifolia | Broad-leaved Tickseed | G3 | S1S2 | E | Likely to Occur | Marginal | 7.20 |
| Montane Red- Chestnut Oak | Southern Appalachian Oak Forest | Plant | Gentiana austromontana | Appalachian Gentian | G3 | \$3 | S | Likely to Occur | Suitable | 9.20 |
| Montane Red- Chestnut Oak | Southern Appalachian Oak Forest | Plant | Helianthus glaucophyllus | White-leaved Sunflower | G3 | S1 | Т | Likely to Occur; Not Recorded | Suitable | 14.55 |
| Montane Red- Chestnut Oak | Southern Appalachian Oak Forest | Plant | Heracleum maximum | Cow-parsnip | G5 | S2 | S | Certain to Occur | Suitable | 9.75 |
| Montane Red- Chestnut Oak | Southern Appalachian Oak Forest | Plant | Hieracium scabrum | Rough Hawkweed | G5 | S2 | Т | Likely to Occur | Suitable | 9.00 |
| Montane Red- Chestnut Oak | Southern Appalachian Oak Forest | Plant | Hydrophyllum virginianum | Appalachian Waterleaf | G5 | S3 | Т | Certain to Occur | Marginal | 3.00 |
| Montane Red- Chestnut Oak | Southern Appalachian Oak Forest | Plant | Melanthium latifolium | Broadleaf Bunchflower | G5 | S1S2 | E | Likely to Occur | Suitable | 13.60 |
| Montane Red- Chestnut Oak | Southern Appalachian Oak Forest | Plant | Panax quinquefolius | American Ginseng | G3G4 | S3S4 | S-CE | Certain to Occur | Marginal | 3.64 |
| Montane Red- Chestnut | Southern Appalachian | | | _ | | | | | | |
| Oak | Oak Forest | Plant | Polygonum cilinode | Fringed Black Bindweed | G5 | S1S2 | T | Certain to Occur | Suitable | 15.00 |

| Red- Chestnut | Appalachian Oak Forest | | | | | | | | | | |
|------------------------------------|---|-----------|--|---|----------|----------------------|-----------|---|---------------------------|-------------------|-------|
| Oak | | | | | | | | | | | |
| Montane Red- Chestnut Oak | Southern Appalachian Oak Forest | Plant | Silene ovata | Ovate Catchfly | G3 | S2 | | E | Likely to Occur | Suitable | 15.00 |
| Montane Red- Chestnut Oak | Southern Appalachian Oak Forest | Plant | Thermopsis fraxinifolia | Ash-leaved Bush-pea | G3? | S3 | | Т | Certain to Occur | Suitable | 11.50 |
| Montane Red- Chestnut Oak | Southern Appalachian Oak Forest | Plant | Xerophyllum asphodeloides | Eastern Turkeybeard | G4 | S3 | | Т | Certain to Occur | Suitable | 9.75 |
| Montane Red- Chestnut | Southern Appalachian | | | | | | | | | | |
| Oak | Oak Forest | Reptile | Crotalus horridus | Timber Rattlesnake | G4 | S4 | | | Certain to Occur | Preferred | 9.60 |
| Montane Red- Chestnut Oak | Southern Appalachian Oak Forest | Reptile | Heterodon platirhinos | Eastern Hognosed Snake | G5 | S4 | | | Likely to Occur | Suitable | 2.04 |
| Montane | Southern Appalachian Montane Pine Forest and Woodland | Amabibian | Plethodon | Yonahlossee Salamander | G4 | S2 | | | Likely to Occur | Marginal | 2.26 |
| Montane | Southern Appalachian Montane Pine Forest and | Amphibian | yonahlossee | | | | | _ | Likely to Occur | Marginal | 3.36 |
| Montane Pine | Woodland Southern Appalachian Montane Pine Forest and Woodland | Bird | Accipiter striatus Caprimulgus carolinensis | Sharp-shinned Hawk Chuck-will's-widow | G5 G5 | \$3B, \$4N \$3\$4 | No Status | D | Recorded Likely to Occur | Suitable Suitable | 2.88 |
| Montane Pine | Southern Appalachian Montane Pine Forest and Woodland | Bird | Corvus corax | Common Raven | G5 | S2 | | Т | Certain to Occur | Suitable | 11.25 |
| Montane | Southern Appalachian Montane Pine Forest and | | | | | | | | | | |
| Pine Montane | Woodland Southern Appalachian Montane Pine Forest and | Bird | Dendroica dominica | Yellow-throated Warbler Black-throated Green | G5 | S4 | | | Certain to Occur | Suitable | 2.55 |
| Pine | Woodland | Bird | Dendroica virens | Warbler | G5 | S5 | | | Certain to Occur | Marginal | 0.66 |
| Montane | Southern | Bird | Falco peregrinus | Peregrine Falcon | G4 | S1B | No Status | E | Certain to Occur | Marginal | 9.20 |

| Pine | Appalachian Montane Pine Forest and Woodland | | | | | | | | | |
|-----------------|---|-----------|----------------------------|--------------------------|------|----------|---|------------------|----------|------|
| Montane | Southern Appalachian Montane Pine Forest and | | | | | | | | | |
| Pine | Woodland Southern Appalachian Montane Pine | Bird | Oporornis formosus | Kentucky Warbler | G5 | S4 | | Likely to Occur | Marginal | 0.8 |
| Montane Pine | Forest and Woodland | Bird | Troglodytes troglodytes | Winter Wren | G5 | S3B, S4N | | Likely to Occur | Suitable | 2.8 |
| Montane Pine | Southern Appalachian Montane Pine Forest and Woodland | Gastropod | Fumonelix wheatleyi | Cinnamon Covert | G4 | S3 | | Certain to Occur | Marginal | 2.7 |
| Montane Pine | Southern Appalachian Montane Pine Forest and Woodland | Gastropod | Paravitrea lamellidens | Lamellate Supercoil | G2 | S2 | | Certain to Occur | Marginal | 8.0 |
| Montane Pine | Southern Appalachian Montane Pine Forest and Woodland | Gastropod | Stenotrema altispira | Highland Slitmouth | G3 | S2? | | Certain to Occur | Marginal | 4.7 |
| Montane Pine | Southern Appalachian Montane Pine Forest and Woodland | Mammal | Myotis leibii | Eastern Small-footed Bat | G3 | S2S3 | D | Certain to Occur | Suitable | 13.4 |
| Montane | Southern Appalachian Montane Pine Forest and Woodland | | | Caldan Maura | C.F. | CII | | Libeliate Group | Marairal | 0.2 |
| Pine Montane | Southern Appalachian Montane Pine Forest and | Mammal | Ochrotomys nuttalli | Golden Mouse | G5 | SU | | Likely to Occur | Marginal | 0.3 |
| Pine Montane | Woodland Southern Appalachian Montane Pine Forest and | Mammal | Sorex fumeus Buckleya | Smoky Shrew | G5 | S4 | D | Certain to Occur | Marginal | 1.6 |
| Pine | Woodland Southern | Plant | distichophylla | Piratebush | G2 | S2 | Т | Certain to Occur | Suitable | 23.0 |
| Montane Pine | Appalachian Montane Pine Forest and Woodland | Plant | Castanea dentata | American Chestnut | G4 | S2S3 | S | Certain to Occur | Suitable | 10.2 |

| Montane Pine | Southern Appalachian Montane Pine Forest and Woodland | Plant | Hieracium scabrum | Rough Hawkweed | G5 | S2 | | Т | Likely to Occur | Suitable | 9.00 |
|---------------------------|---|-----------|------------------------------|---------------------------------|------|------------|-----------|------|----------------------|-----------|-------|
| Montane Pine | Southern Appalachian Montane Pine Forest and Woodland | Plant | Panax quinquefolius | American Ginseng | G3G4 | S3S4 | | S-CE | Certain to Occur | Marginal | 3.64 |
| Montane Pine | Southern Appalachian Montane Pine Forest and Woodland | Plant | Xerophyllum asphodeloides | Eastern Turkeybeard | G4 | S3 | | Т | Certain to Occur | Preferred | 19.50 |
| Montane Pine | Southern Appalachian Montane Pine Forest and Woodland | Reptile | Crotalus horridus | Timber Rattlesnake | G4 | \$4 | | 1 | Certain to Occur | Marginal | 1.92 |
| Montane Pine | Southern Appalachian Montane Pine Forest and Woodland | Reptile | Heterodon platirhinos | Eastern Hognosed Snake | G5 | S4 | | | Likely to Occur | Marginal | 0.82 |
| Low- elevation Pine | Southern Appalachian Low-Elevation Pine Forest | Amphibian | Plethodon yonahlossee | Yonahlossee Salamander | G4 | S2 | | | Likely to Occur | Marginal | 3.36 |
| Low- elevation Pine | Southern Appalachian Low-Elevation Pine Forest | Bird | Accipiter striatus | Sharp-shinned Hawk | G5 | S3B, S4N | No Status | D | Likely to Occur; Not | Suitable | 3.06 |
| Low- elevation Pine | Southern Appalachian Low-Elevation Pine Forest | Bird | Caprimulgus carolinensis | Chuck-will's-widow | G5 | S3S4 | | | Likely to Occur | Suitable | 2.88 |
| Low- elevation Pine | Southern Appalachian Low-Elevation Pine Forest | Bird | Corvus corax | Common Raven | G5 | S2 | | Т | Certain to Occur | Suitable | 11.25 |
| Low- elevation Pine | Southern Appalachian Low-Elevation Pine Forest | Bird | Dendroica dominica | Yellow-throated Warbler | G5 | S4 | | | Certain to Occur | Suitable | 2.55 |
| Low- elevation Pine | Southern Appalachian Low-Elevation Pine Forest | Bird | Dendroica virens | Black-throated Green Warbler | G5 | S 5 | | | Certain to Occur | Marginal | 0.66 |
| Low- elevation Pine | Southern Appalachian Low-Elevation Pine Forest | Bird | Falco peregrinus | Peregrine Falcon | G4 | S1B | No Status | E | Certain to Occur | Marginal | 9.20 |
| Low- | Southern | Bird | Oporornis formosus | Kentucky Warbler | G5 | S4 | | | Likely to Occur | Suitable | 2.04 |

| elevation Pine | Appalachian Low-Elevation | | | | | | | | | |
|---------------------------|--|-------------|----------------------------|-----------------------------|------------|----------|---|----------------------|--------------|-------|
| Tille | Pine Forest | | | | | | | | | |
| Low- elevation Pine | Southern Appalachian Low-Elevation Pine Forest | Bird | Troglodytes troglodytes | Winter Wren | G5 | S3B, S4N | | Likely to Occur | Marginal | 1.15 |
| Low- elevation | Southern Appalachian Low-Elevation | | | | | | | | | |
| Pine | Pine Forest | Bird | Wilsonia citrina | Hooded Warbler | G5 | S4 | | Certain to Occur | Marginal | 1.02 |
| Low- elevation Pine | Southern Appalachian Low-Elevation Pine Forest | Gastropod | Fumonelix wheatleyi | Cinnamon Covert | G4 | S3 | | Certain to Occur | Marginal | 2.70 |
| Low- elevation | Southern Appalachian Low-Elevation | | | | | | | | | |
| Pine Low- elevation | Pine Forest Southern Appalachian Low-Elevation | Gastropod | Paravitrea lamellidens | Lamellate Supercoil | G2 | S2 | | Certain to Occur | Marginal | 8.00 |
| Pine | Pine Forest | Gastropod | Stenotrema altispira | Highland Slitmouth | G3 | S2? | | Certain to Occur | Marginal | 4.78 |
| Low- elevation Pine | Southern Appalachian Low-Elevation Pine Forest | Mammal | Myotis leibii | Eastern Small-footed Bat | G3 | \$2\$3 | D | Certain to Occur | Suitable | 13.45 |
| Low- elevation | Southern Appalachian Low-Elevation | Iviaiiiiiai | IVIYOUS IEIDII | Lasterii Siriaii-100teu bat | U3 | 3233 | В | Certain to Occur | Suitable | 13.43 |
| Pine | Pine Forest | Mammal | Ochrotomys nuttalli | Golden Mouse | G5 | SU | | Likely to Occur | Marginal | 0.38 |
| Low- elevation Pine | Southern Appalachian Low-Elevation Pine Forest | Mammal | Sorex fumeus | Smoky Shrew | G 5 | S4 | D | Certain to Occur | Suitable | 4.05 |
| Low- elevation | Southern Appalachian Low-Elevation | | Amelanchier | | | | | Likely to Occur; Not | | |
| Low- elevation | Pine Forest Southern Appalachian Low-Elevation | Plant | sanguinea Buckleya | Roundleaf Shadbush | G5 | S2 | T | Recorded | Suitable | 6.75 |
| Pine | Pine Forest | Plant | distichophylla | Piratebush | G2 | S2 | Т | Certain to Occur | Preferred | 46.00 |
| Low- elevation Pine | Southern Appalachian Low-Elevation Pine Forest | Plant | Castanea dentata | American Chestnut | G4 | S2S3 | S | Certain to Occur | Marginal | 4.08 |
| Low- | Southern Appalachian Low-Elevation | Tiant | Xerophyllum | American Gresulut | <u> </u> | 3233 | 3 | Certain to Occur | iviai gillai | 4.00 |
| elevation Pine | Pine Forest | Plant | asphodeloides | Eastern Turkeybeard | G4 | S3 | Т | Certain to Occur | Suitable | 9.75 |
| Low- elevation Pine | Southern Appalachian Low-Elevation | Reptile | Crotalus horridus | Timber Rattlesnake | G4 | S4 | | Certain to Occur | Marginal | 1.92 |
| | | | | | - | | | | | |

| | Pine Forest | | | | | | | | | |
|-----------|---------------|---------|-----------------------|------------------------|----|----|--|-----------------|----------|------|
| | Southern | | | | | | | | | |
| Low- | Appalachian | | | | | | | | | |
| elevation | Low-Elevation | | | | | | | | | |
| Pine | Pine Forest | Reptile | Heterodon platirhinos | Eastern Hognosed Snake | G5 | S4 | | Likely to Occur | Suitable | 2.04 |